

Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton Division Director 1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

June 6, 2001

CERTIFIED RETURN RECEIPT 7000 0520 0021 7582 9255

Lon Thomas Star Stone Quarries, Inc. 4040 South 300 West Salt Lake City, Utah 84107

Re: Request for Permit Amendment and Reclamation Surety Adjustment, Star Stone Quarries, Inc., Heber Quarry, M/051/001, Wasatch County, Utah.

Dear Mr. Thomas:

This letter is a follow up to the Division's May 31, 2001, letter regarding the status of the conditions assigned to the Division's December 20, 2000, Order. This Order was a result of the informal public hearing held on November 20, 2000, in Heber, Utah. Condition B, required the proposed permit area boundary to be marked with metal fence posts. This was completed on May 4, 2001 (inspection memo attached) by marking the proposed 5-year mine plan area, as identified on the map submitted to our office on December 12, 2000. The staked permit boundary area has been GPS surveyed and digitized. The total acreage for the proposed 5-year plan measures at 20.67 acres. This figure includes 19 acres for the quarry, dumps, pads, etc. and 1.67 acres for the topsoil borrow area. A copy of the updated digitized survey map is attached.

Since the original Notice (submitted July 13, 2000), only identified 15 acres of disturbance for the proposed 5-year mine plan, it is necessary to amend your Notice to include the 20.67 acre boundary area that has been staked. Please revise the appropriate sections of your mine plan to include this additional area and amend your existing notice by July 6, 2001.

The revised 5-year map also reflects 0.34 acres of current disturbance that is located just outside of your property line in the northeast corner of your mine permit area. You will need to reclaim this area at this time, or obtain a lease from the current surface and mineral owner(s) to continue operations on this parcel, and then update your mine plan to include this area (this disturbance has been included in the revised cost estimate). Please describe your intentions with your amended Notice.

This increase in permit area will also require an adjustment to the existing reclamation surety amount. The Division has recalculated the amount of reclamation surety, based on the assumption that most of the increased acreage will be pit floor (revised estimate attached). Currently, the Division holds a \$68,000 reclamation surety for this site. The revised surety estimate, which includes a standard 10% contingency and

Page 2 Lon Thomas M/051/001 June 6, 2001

a 5-year (3.12% per yr.) escalation rate, yields a new total of \$102,500. The existing surety will need to be adjusted to reflect the difference. *Please provide the revised surety bond amount no later than July 20*, 2001. If you need new surety forms, please call us at your earliest convenience.

Thank you for your patience and cooperation in completing this permit action. Please contact me at (801) 538-5286, or Lynn Kunzler at 538-5310, if you have any questions regarding these requirements.

Sincerely,

D. Wayne Hedberg Permit Supervisor

Minerals Regulatory Program

jb

Attachments: inspection memo w/revised map, surety estimate

cc: Al Mickelsen, Wasatch County

Lynn Kunzler, DOGM

O:\thomas\m51-01 amend request

RECLAMATION SURETY TIMATE American Stone 2 05/31/01 Heber Quarry 3 filename M051-001 M/051/001 Wasatch County 4 Prepared by Utah State Division of Oil, Gas & Mining 5 -This estimate uses a D8 size dozer for most earthwork 6 7 Sub-soil on pit floors will be placed at a 2' depth 9 Soil was calculated at a 6" depth over entire site 11 1.2 acres of highwall will not be reclaimed 1.67 acre of borrow area reclamation included in total disturbance. 13 Note: actual unit costs may vary according to site conditions last unit cost update 08/25/99 17 -Amount of disturbed area which will receive reclamation treatments = 19.47 acres 18 -Estimated total disturbed area for this mine = 20.67 acres 19 Activity Quantity Units \$/unit \$ Note 20 Safety gates, signs, etc. (mtls & installation) 1 sum 200 200 (1) 21 22 Debris & equipment removal - loading trucks w/FE loader 0 (5)26 Demolition & debris removal - general labor 15 150 10 hours (6)27 Regrading facilities areas (1 ft depth) 28 0 (7)29 Regrading waste dump slopes 1.6 ac X 3 ft deep 7.750 CY 0.47 3.643 (8)30 Ripping waste dump tops 220 880 (9)4.0 acre 31 32 Ripping stockpile & compacted areas 220 1.9 acre 418 (9)33 34 Ripping pit floors 220 1.782 (9) 8.1 acre 35 Ripping pit access roads 220 286 (9)1.3 acre 36 Resloping Pit Highwalls 37 2.700 CF 0.47 1.269 (8)38 39 0 (9)0 (7) 40 Sidecast mtl replacement on steep roads- trackhoe 1,300 LF 0.85 1,105 (11)41 Sub-soil placement (2' cover/ 4 acres) Pit Floors 42 26000 CY 1.15 29.900 (10)43 Topsoil replacement - dozer 44 1500 CY 0.47 705 (12)Topsoil replacement - truck & FE loader 8400 CY 2.55 21,420 (14)46 Topsoil replacement - FE loader 1.15 \$6,152 5350 CY 47 Composted manure (10 ton/acre) 17.8 acre 200 3,560 (00)50 Broadcast seeding (~20 lb/acre) 170 19.5 acre 3,315 (00)51 54 General site cleanup & trash removal 10.0 acre 50 500 (00)55 56 (00)Equipment mobilization 1000 2,000 57 2 equip 58 Reclamation Supervision 372 2,604 (15)7 days 59 Subtotal 79,889 60 10% Contingency 7,989 61 Total \$87,878 62 Escalate for 5 years at 3.12% per yr \$14,591 \$102,469 Rounded surety amount in yr 2006-\$ \$102,500 Average cost per disturbed acre = \$4,959

GENERIC RECLAMATION E IMATE American Stone 08/22/00 Heber Quarry filename M/051/001 M/051/001 Wasatch County Prepared by Utah State Division of Oil, Gas & Mining last unit cost update 08/25/99 DOGM lump sum assumed Means Heavy Construction Cost Data 1998, 020-604-0100, mixture of bldg. types, average, excluding dump fees Means 1998, 020-620-5100, \$0.48/mile for >8CY truck; assumed 100 miles round trip Means 1998, 020-612-0100, dump charges, typical urban city, tipping fees only, bldg construction mtls Rental Rate Blue Book 4/98, Cat 988B, 7CY, & Means 1998, Crew B-10U, loading trucks only DOGM assumed wage for unskilled general labor Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, mtl 2550 lb/CY, 50 ft push, 1 ft depth Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, mtl 2550 lb/CY, 100 ft push Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, multi shank rippers, speed 1.0 mph Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, multi shank rippers, speed 1.0 mph Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, multi shank rippers, speed 1.0 mph Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, multi shank rippers, speed 1.0 mph Means 1998 & Rental Rate Blue Book 4/98: Cat 988B, 430 CY/hr @\$97/hr + \$38.95/hr Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, multi shank rippers, speed 1.0 mph |Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, mtl 2550 lb/CY, 50 ft push, 1 ft depth (11) |Contractor's actual costs, 1991 at E/053/012, Cat 225 Excavator, 20 ft wide road (10) Means 1998 & Rental Rate Blue Book 4/98 (12) Means 1998 & Rental Rate Blue Book 4/98: Cat D8N, U, mtl 2550 lb/CY, 100 ft push (13) Means 1998 & Rental Rate Blue Book 4/98: Cat 627F P-P, mtl 2550 lb/CY, 2,000 ft haul one-way, grade +/- 4%, Means 1998 022-266-2030: hauling excavated or borrow material, off highway hauler, 22 CY, 1 mile round trip (00) DOGM general estimate - mulching (00) DOGM general estimate - fertilizing (00) DOGM general estimate - manure \$16/ton delivered, \$40/acre spreading

Note

(1)

(2)

(3)

(4)

(5)

(6)

(7)

(9)

(9)

(9)

(9)

(10)

(9)

(7)

(00)

(00)

DOGM general estimate - broadcast seeding

(00) DOGM general estimate - equipment mobilization

DOGM general estimate - site cleanup & trash removal

(15) Means 1998, 010-036-0180, project manager, minimum \$1,815/wk

DOGM general estimate - drill seeding

DOGM general estimate - hydroseeding

JB DOGM M/051/001	6/6/01
SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 1. Article Addressed to: LON THOMAS STAR STONE QUARRIES INC 4040 S 300 W 	A. Received by (Please Print Clearly) B. Date of Delivery 6 3 0 Agent Addressee D. Is delivery address different from item 1? Yes If YES, enter delivery address below:
SALT LAKE CITY UT 84107	3. Service Type ☐ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D.
	4. Restricted Delivery? (Extra Fee) ☐ Yes
2. Article Number (Copy from service label) 7000 0520 0021 7582 9255	
PS Form 3811, July 1999 Domestic Retu	rn Receipt 102595-99-M-1789

